

**From:** [Hagerman, Paul](#)  
**To:** [Mitchell, Tanya](#); [Amy Darpinian](#)  
**Cc:** [Chenenko, Ricky](#)  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13  
**Date:** Tuesday, June 30, 2015 4:14:42 PM

---

We reached out to Adly/DESA again, around mid day today. No updates as of half an hour ago. We'll check back in before COB today.

Paul Hagerman, P.E.

CDM Smith

110 Fieldcrest Avenue, #8

6th Floor

Edison, NJ 08837

phone: (732) 225 7000 (operator)

phone: (732) 590 4663 (direct dial)

cell phone: (917) 941 4010

fax: (732) 590 4663

---

**From:** Mitchell, Tanya [mailto:[Mitchell.Tanya@epa.gov](mailto:Mitchell.Tanya@epa.gov)]  
**Sent:** Tuesday, June 30, 2015 3:44 PM  
**To:** Hagerman, Paul; Amy Darpinian  
**Cc:** Chenenko, Ricky  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13  
Any updates?

---

**From:** Mitchell, Tanya  
**Sent:** Tuesday, June 30, 2015 7:01 AM  
**To:** 'Hagerman, Paul'; Amy Darpinian  
**Cc:** Chenenko, Ricky  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Hi Amy,

Please let me know if you have received a response regarding the sample volumes. ARCADIS would like to collect samples on Thursday.

Thanks,

Tanya

---

**From:** Hagerman, Paul [mailto:[HagermanPR@cdmsmith.com](mailto:HagermanPR@cdmsmith.com)]  
**Sent:** Monday, June 29, 2015 8:08 AM  
**To:** Mitchell, Tanya; Amy Darpinian  
**Cc:** Chenenko, Ricky  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Yes, I will be leaving the house shortly, and unavailable as noted.

Our lab coordinator has been discussing with their counterparts at DESA, but have not received a definitive final answer. I have followed up with our coordinator and Ricky is in the loop and will follow up with you and hopefully this will be resolved today.

Paul Hagerman, P.E.

CDM Smith

110 Fieldcrest Avenue, #8

6th Floor  
Edison, NJ 08837  
phone: (732) 225 7000 (operator)  
phone: (732) 590 4663 (direct dial)  
cell phone: (917) 941 4010  
fax: (732) 590 4663

---

**From:** Mitchell, Tanya [<mailto:Mitchell.Tanya@epa.gov>]  
**Sent:** Monday, June 29, 2015 7:41 AM  
**To:** Amy Darpinian; Hagerman, Paul  
**Subject:** FW: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Hi Amy,  
It appears that Paul may be out of the office today and tomorrow. Can you follow-up on the pore water sample volumes (see below)? Not sure if he was working with Vanessa.  
Thanks,  
Tanya

---

**From:** Hagerman, Paul [<mailto:HagermanPR@cdmsmith.com>]  
**Sent:** Thursday, June 25, 2015 3:22 PM  
**To:** Mitchell, Tanya; Amy Darpinian  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Will do – we are reviewing that right now.

Paul Hagerman, P.E.

CDM Smith

110 Fieldcrest Avenue, #8

6th Floor

Edison, NJ 08837

phone: (732) 225 7000 (operator)

phone: (732) 590 4663 (direct dial)

cell phone: (917) 941 4010

fax: (732) 590 4663

---

**From:** Mitchell, Tanya [<mailto:Mitchell.Tanya@epa.gov>]  
**Sent:** Thursday, June 25, 2015 3:18 PM  
**To:** Hagerman, Paul; Amy Darpinian  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Hi Paul,  
Please coordinate the sample volumes with me and I will provide written confirmation to ARCADIS.  
Thanks,  
Tanya

---

**From:** Hagerman, Paul [<mailto:HagermanPR@cdmsmith.com>]  
**Sent:** Thursday, June 25, 2015 3:13 PM  
**To:** Mitchell, Tanya; Amy Darpinian  
**Subject:** RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Thank you – we will reach out to ARCADIS to confirm their schedule for this work, and also confirm with the lab and ARCADIS and make sure that they are aware of the volumes we will require for our split samples. If there is any variation from what was determined to be required from the planned

event from December 2014, we will inform EPA immediately.

Paul Hagerman, P.E.

CDM Smith

110 Fieldcrest Avenue, #8

6th Floor

Edison, NJ 08837

phone: (732) 225 7000 (operator)

phone: (732) 590 4663 (direct dial)

cell phone: (917) 941 4010

fax: (732) 590 4663

---

**From:** Mitchell, Tanya [<mailto:Mitchell.Tanya@epa.gov>]

**Sent:** Thursday, June 25, 2015 3:06 PM

**To:** Hagerman, Paul; Amy Darpinian

**Subject:** FW: Rolling Knolls - FCR-08 Pore-water samples at MW-13

EPA has completed its review of the attached FCR-08 dated 6/25/15 and it is approved.

Regards,

Tanya